

CRAFTED WITH PRIDE  IN THE USA

FIREMAGIC®



# CHOICE

---

MULTI-USER SERIES

# Choice Multi-User Grill Collection

Built to last with all 304 S.S. construction. Designed to withstand frequent use in settings like resorts or condos, Choice Multi-User grills feature durable materials, reliable controls, low cost operation and more:

## KEY FEATURES


- 1 Seamless, 90 degree, spring-assisted hood allows easy access to grilling and more efficient exhaust.
- 2 Analog thermometer w/ angled polished stainless steel bezel in hood measures up to 1000° F.
- 3 Heavy-duty anti-theft warming rack ideal for keeping cooked foods hot or warm up bread.
- 4 Anti-theft, patented<sup>†</sup> Diamond Sear cooking grids for superior grilling performance.
- 5 Reliable turn-to-light ignition (no power required, no batteries to change).
- 6 Polished anti-theft control knobs with comfort-touch grips (standard Multi-User grills only).
- 7 14-gauge stainless steel burners for durability and even heat.
- 8 Operating instructions laser etched on control face so they can't be misplaced.
- 9 16-gauge stainless steel Flavor Grids provide even heat distribution and reduced flare-ups.
- 10 All units include a 1-hour automatic shut-off timer.
- 11 Accessible Kit (#24171-11) available for built-in units to retrofit with ADA best practices for individuals with disabilities...post mount model also available.

Plus, a strong **5-year limited warranty** backed by the company that has built grills in America for over 80 years.

<sup>†</sup> U.S. Pat. No. D857,453

For single family home models of Choice grills, go to [www.firemagicgrills.com/Choice-Series/](http://www.firemagicgrills.com/Choice-Series/)





## Choice Series Grills



### Choice Multi-User CM650i, 36" Built-In Grill CM650i-RT1N\*

#### SPECIFICATIONS

- Primary Cooking Surface: **36" x 18" (648 sq. in.)**
- Warming Rack Surface: **36" x 8" (288 sq. in.)**
- Main Burners: **69,000 BTU's**
- Cut-out Dimensions: **37¾" w x 19½" d x 11½" h**



### Choice Multi-User CM540i, 30" Built-In Grill CM540i-RT1N\*

#### SPECIFICATIONS

- Primary Cooking Surface: **30" x 18" (540 sq. in.)**
- Warming Rack Surface: **30" x 8" (240 sq. in.)**
- Main Burners: **60,000 BTU's**
- Cut-out Dimensions: **32" w x 19½" d x 11½" h**



### Choice Multi-User CM430i, 24" Built-In Grill CM430i-RT1N\*

#### SPECIFICATIONS

- Primary Cooking Surface: **24" x 18" (432 sq. in.)**
- Warming Rack Surface: **24" x 8" (192 sq. in.)**
- Main Burners: **46,000 BTU's**
- Cut-out Dimensions: **25½" w x 19½" d x 11½" h**

\*All models available in natural gas or propane (for propane, change **N** to **P** in the model #).

## Choice Series Grills



### Choice Multi-User CM430s, 24" Patio Post Mount Grill

**CM430s-RT1N\*-P6**

- Primary Cooking Surface: 24" x 18" (432 sq. in.)
- Warming Rack Surface: 24" x 8" (192 sq. in.)
- Main Burners: **46,000 BTU's**
- Includes a one-hour mechanical timer on post



### Choice Multi-User CM430s, 24" In-Ground Post Mount Grill

**CM430s-RT1N\*-G6**

- Primary Cooking Surface: 24" x 18" (432 sq. in.)
- Warming Rack Surface: 24" x 8" (192 sq. in.)
- Main Burners: **46,000 BTU's**
- Includes a one-hour mechanical timer on post

\*All models available in natural gas or propane (for propane, change **N** to **P** in the model #).

# Choice Multi-User Accessible

Choice Multi-User built-in grills may be retrofitted in the field to provide operational enhancements for individuals with disabilities. Applying ADA best practices, an easy-to-install kit is available to add modified control knobs and a side handle for the oven hood to increase accessibility.

The post mount model is factory configured to include these changes and is 32" high to lower the grill height. Other installation requirements apply for built-in units – always check local specifications.



## Choice Multi-User Accessible CMA430s, 24" Post Mount Grill

**CMA430s-RT1N\*-P6** - Patio Post Mount (left)

**CMA430s-RT1N\*-G6** - In-Ground Post Mount (right)

- Primary Cooking Surface: 24" x 18" (432 sq. in.)
- Warming Rack Surface: 24" x 8" (192 sq. in.)
- Main Burners: 46,000 BTU's
- Includes a one-hour mechanical timer on post
- 32" working surface height



\*All models available in natural gas or propane (for propane, change **N** to **P** in the model #).

## Premium Flush Doors & Accessories



Shown: 53924KSC-L

### Vertical Single Access Doors with Lock and Key

Model #	Hinge	Cut-out
53920KSC-R	Right	21" h x 14½" w
53920KSC-L	Left	
53924KSC-R	Right	25" h x 17½" w
53924KSC-L	Left	



Shown: 53917KSC-L

### Horizontal Single Access Doors with Lock and Key

Model #	Hinge	Cut-out
53914KSC-R	Right	15" h x 20½" w
53914KSC-L	Left	
53917KSC-R	Right	18" h x 24½" w
53917KSC-L	Left	



Shown: 53934KSC

### Double Access Doors with Lock and Key

Model #	Cut-out
53934KSC	15" h x 30" w
53930KSC	21" h x 30" w
53938KSC	16" h x 39" w

## Accessories



The Insulating Liner facilitates installation of built-in Fire Magic® grills into wood, composite or other combustible enclosures when used with non-combustible counter tops.

### Available Insulating Liner Models

Model #	Compatible Grill
3177-52	Choice CM650i Built-In Grill
23150-52	Choice CM540i Built-In Grill
23130-52	Choice CM430i Built-In Grill



### Tank Shield 5110-33

Used with CM430s post mount grills with Propane gas.



### Accessible Kit 24171-11

An easy-to-install kit is available to add modified control knobs and a side handle for the oven hood to increase accessibility on all Choice Multi-User grills.

# Premium Flush Doors & Accessories



## FIRE MAGIC MULTI-USER GRILLS AND ACCESSORIES

### LIMITED WARRANTY

When used in a multi-user setting\* including but not limited to apartment complexes, multi-family dwelling complexes, schools, hotels, fire stations, police stations, etc.

\*Excluding restaurants and settings where the grill usage is primarily commercial.

Robert H. Peterson Co. ("RHP") warrants your Fire Magic® grill to be free from defects in material and workmanship.

Fire Magic® Stainless steel grill housing, burners, stainless steel cooking grids, valves, inner liners and manifold assemblies are warranted for **FIVE (5) YEARS**.

All other components, except batteries, are warranted for **ONE (1) YEAR**.

**FIREMAGIC®**  
BUILT WITH PASSION. OWNED WITH PRIDE.

14724 East Proctor Ave., City of Industry, CA 91746

[www.firemagicgrills.com](http://www.firemagicgrills.com)